care Care Independent care Independent care Independent for VOI Care Independent Care Independen

Heart Failure Program **Medication Quick** Guide

care for **you**

> Independent Health.

HEART FAILURE MEDICATION QUICK GUIDE

| Anticoagulants | Antiplatelet | ACE inhibitors | ARBs | ARNIs |
|----------------------------|-----------------------------|----------------------------|----------------------------|--------------------------|
| Warfarin | Aspirin | Lisinopril | Losartan | Entresto |
| Eliquis | Plavix | Enalapril | Valsartan | (sacubitril/valsartan) |
| Pradaxa | Clopidogrel | Benazepril | Irbesartan | |
| | | | | |
| | | | | |
| Purpose | Purpose | Purpose | Purpose | Purpose |
| Decrease clotting, does | Prevents blood platelets | Expands blood vessels, | Keep pressure from rising. | Keep blood vessels open, |
| not dissolve clots or thin | from sticking together to | heart doesn't have to work | Alternative for patients | decreases heart strain, |
| blood. | form clots | so hard, is more efficient | who do not tolerate ACE | reduces salt retention |
| | | | inhibitors | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Side Effects | Side Effects | Side Effects | Side Effects | Side Effects |
| Easy bruising | Easy bruising | Dizziness | Dizziness | Cough |
| Harder to stop bleeding | Harder to stop bleeding | Cough | Nasal congestion | Dizziness |
| That does to stop shooting | Therefore to stop should be | Low blood pressure, | Weakness | lightheadedness |
| | | tiredness | Back pain | |
| | | | 1,000 | |
| | | | | |
| | | | | |
| | | | | |



HEART FAILURE MEDICATION QUICK GUIDE

| Beta Blockers Atenolol Metoprolol propranolol | Alpha+Beta Blockers Carvedilol Labetalol/HTCZ | Calcium Channel Blockers Amlodipine Diltiazem Verapamil | Cholesterol Lowering Niacin Statins like Lipitor Inhibitors-Zetia Combo-Vytorin | SGLT2 Farxiga (Dapagliflozin) |
|--|--|---|---|---|
| Purpose Makes heart beat slower & with less force | Purpose Lowers blood pressure | Purpose Relax blood vessels, lower blood pressure | Purpose Keep cholesterol from blocking blood vessels | Purpose Shown to decrease hospitalization due to heart failure |
| Side Effects Dizziness Lightheadedness tiredness | Side Effects Weakness Dizziness Diarrhea Weight gain | Side Effects Dizziness Headache constipation | Side Effects Diarrhea Constipation Nausea Muscle pain | Side Effects Yeast infection Increase urination Lightheadedness dizziness |



HEART FAILURE MEDICATION QUICK GUIDE

| Digitalis Digoxin Lanoxin | Diuretics Furosemide HCTZ Bumetanide Spironlactone Metalozone Torsemide | Vasodilators Isosorbide Hydralazine Nitroglycerin Minoxidil |
|---|---|--|
| Purpose Increase force of contraction | Purpose Remove excess fluid & salt by increasing urine output | Purpose Relaxes blood vessels, decreases blood pressure |
| Side Effects Dizziness Fainting Fast, slow or irregular heartbeat | Side Effects Dizziness Headache Thirst | Side Effects Rapid heartbeat Palpitations Edema/swelling Nausea Headache |

Always talk to your doctor or pharmacist about your specific medications' purposes & side effects.